

<code> -TAG IN HTML

- <code> tag is used defined a piece of computer code.
- <code> tag is one of the **Phrase tag**.
- <code> tag is displayed in the browsers with default monospace font.
- <code> tag supports the **Event and Global attributes**.
- <code> tag belongs to **Flow content, Palpable content** and **Phrasing content Category**.

Syntax for <code> tag in HTML:

```
<code>text here.....</code>
```

Sample coding for <code>tag in HTML:


```
<!DOCTYPE html>
<html>
  <body>
    <code>Hi, Welcome to Wikitechy site.....</code>
  </body>
</html>
```

Code Explanation for <code>tag in HTML:

```
<!DOCTYPE html>
<html>
  <body>
    <code>Hi, Welcome to —> 1
      Wikitechy site.....</code>
  </body>
</html>
```

1. The Sentence "**Hi, Welcome to Wikitechy Site.....**" defined inside the `element will be displayed in monospace font.`

Output for <code>tag in HTML:



1. Here the output shows the sentence "**Hi, Welcome to Wikitechy site....**" in monospace font.

Browsers Support for <code> tag:

| Browser | Language Attribute |
|--------------------------|--------------------|
| Chrome | Yes |
| Internet explorer / Edge | Yes |
| Firefox | Yes |
| Safari | Yes |
| Opera | Yes |